

Report No.: STL2024113003E11 Report Date: 2024-12-18 Page: 1 of 5

**Applicant** : Guangzhou Zhuodie Jewelry Co.,Ltd.

904 East Block, No.9 Liuhua Road, Liwan District, Guangzhou, Guangdong, China Address

(Office use only)

The following merchandise was submitted and identified by client as:

Sample Name : Earrings

Order No.

ZE-SE0304 (ZE-SE0304-1 ZE-SE0304-2)

Item No. : ZE-SE0305 (ZE-SE0305-1 ZE-SE0305-2)

ZE-SE0306 (ZE-SE0306-1 ZE-SE0306-2)

Manufacturer : Guangzhou Zhoudie Jewelry Co.,Ltd.

**Number of Sample** : 1 pair

**Received Date** : 2024-11-30

**Tested Date:** : 2024-11-30 To 2024-12-11

1. Total Lead (Pb)

**Test Request** : 2. Total Cadmium (Cd)

3. Nickel Release

Test Result(s): Please refer to next page(s)

**Technical Director** 





**Report Date: 2024-12-18** Report No.: STL2024113003E11 **Page: 2 of 5** 

#### **Test Requested and Conclusion(s):**

No.	Test Sample	Standard and Requirement	Conclusion(s)
1	Submitted sample	Annex XVII items 63 of the REACH Regulation (EC) No 1907/2006 & amended (EU) No 836/2012  - Lead content	PASS
2	Submitted sample	Annex XVII items 23 of the REACH Regulation (EC) No 1907/2006 & COMMISSION REGULATION (EU) No 494/2011 - Total cadmium (Cd)	PASS
3	Submitted sample	Annex XVII items 27 of the REACH Regulation (EC) No 1907/2006 & amended (EC) No. 552/2009 - Nickel Release	PASS



Report No.: STL2024113003E11 **Report Date: 2024-12-18** Page: 3 of 5

### **Test Result(s)**

#### 1. Total Lead (Pb):

Test Method: With reference to IEC 62321-5:2013, analyzed by AAS.

Test Item(s)	RL (mg/kg)	Limit (mg/kg)	Test result (mg/kg)
Lead (Pb)	10	500	30
	Conclusion	Pass	

1) 0.1%=1000mg/kg Remark:

RL = Reporting Limit

N.D = Not Detected (< RL)

#### 2. Total Cadmium (Cd):

Test Method: With reference to IEC 62321-5:2013, analyzed by AAS.

Test Item(s)	RL (mg/kg)	Limit (mg/kg)	Test result (mg/kg)
Cadmium (Cd)	10	100	N.D
Conclusion			Pass

1) 0.1%=1000mg/kg Remark:

2) RL = Reporting Limit

3) N.D = Not Detected (< RL)



Report No.: STL2024113003E11 **Report Date: 2024-12-18 Page:** 4 of 5

#### 3. Nickel Release:

Test Method: With reference to EN 12472:2020 & EN 1811:2023, and analyzed by AAS.

Test Item	RL (μg/cm²/week)	Limit (μg/cm²/week)	Test result(μg/cm²/week) 1
Nickel Release	0.05	0.5	N.D
	Conclusion	Pass	

Remark:

- $\mu g/cm^2/week = microgram per square centimeter per wee$ 1)
- 2) RL = Reporting Limit
- 3) N.D = Not Detected (< RL)

For products in direct contact with human skin for a long time, the nickel release limit is 0.5μg/cm<sup>2</sup> /week.Comments are given according to Annex A of EN 1811:2023 as below:

When the nickel release value is greater than or equal to 0.88µg/cm<sup>2</sup>/week, the product is judged as unqualified.

When the nickel release value is less than 0.88 µg/cm<sup>2</sup> /week, the product is judged as qualified.



Report No.: STL2024113003E11 **Report Date: 2024-12-18 Page:** 5 of 5

#### Test Material list:

No.	Sample Description	Location
1	Gold/Silver Metal	Earrings-Main body

### Sample(s) Photo



The following pictures are provided by the customer



End of Report